



# 第11回 HLAQCワークショップ(抗体部門)

## LCT・AHG-LCT法

	第11回 HLA・QCWS		第10回 HLA・QCWS	
	参加施設数	提出パネル数	参加施設数	提出パネル数
LCT法 クラス	11	388	16	584
LCT法 クラス	2	6	4	47
AHG-LCT法	10	345	14	576



サンプルID	LCT法 (11施設)	AHG-LCT法 (10施設)	抗体特異性
SH1901	陽性: 10 陰性: 1	陽性: 9 未検査: 1	A11 A3 A32
SH1902	陽性: 10 陰性: 1	陽性: 10 陰性: 0	B51 B35 B5102 B52 B37
SH1903	陽性: 10 陰性: 1	陽性: 10 陰性: 0	Cw9 Cw10 B46 Bw4(B51 B52 B5102 B37 B44 B59 B38 B27 B13) B35 B62 B55 B56 B67
SH1904	陽性: 11 陰性: 0	陽性: 10 陰性: 0	Cw1 B54 B55 B67

# SH1901セログラフ (N=100)




# SH1902セログラフ

(N=150)



# SH1903 LCTセログラフ

(N=200)




103

SH1903 LCT

# SH1903 AHG-LCTセログラフ


(N=280)

× 100




# SH1903 AHG-LCTセログラフ

(N=280)  
× 100







# 他方法との比較 ~ SH1904 ~




MPHA法




LIFT法




LABS-PRA



Flow-PRA



Flow-Single



LABS-Single