

塩田 倫史 (Norifumi Shioda)

〔原著〕

1. Shioda, N., Ishikawa, K., Tagashira, H., Ishizuka, T., Yawo, H., & *Fukunaga, K. Expression of a truncated form of the endoplasmic reticulum chaperone protein, $\alpha 1$ receptor, promotes mitochondrial energy depletion and apoptosis. *J Biol Chem.* **287**, 23318-23331 (2012).
doi: 10.1074/jbc.M112.349142.
2. Moriguchi, S., Shioda, N., Yamamoto, Y., Tagashira, H., & *Fukunaga, K. The T-type voltage-gated calcium channel as a molecular target of the novel cognitive enhancer ST101: enhancement of long-term potentiation and CaMKII autophosphorylation in rat cortical slices. *J Neurochem.* **121**, 44-53 (2012).
doi: 10.1111/j.1471-4159.2012.07667.x.
3. Shioda, N., Moriguchi, S., Oya, T., Ishii, Y., Shen, J., Matsushima, T., Nishijo, H., *Sasahara, M. & *Fukunaga, K. Aberrant hippocampal spine morphology and impaired memory formation in neuronal platelet-derived growth factor beta-receptor lacking mice. *Hippocampus.* **22**, 1371-1378 (2012).
doi: 10.1002/hipo.20973.
4. Shioda, N., Beppu, H., Fukuda, T., Li, E., Kitajima, I. & *Fukunaga, K. Aberrant calcium/calmodulin-dependent protein kinase II (CaMKII) activity is associated with abnormal dendritic spine morphology in the *ATRX* mutant mouse brain. *J Neurosci.* **31**, 346-358 (2011).
doi: 10.1523/JNEUROSCI.4816-10.2011.
5. Nogami, T., Beppu, H., Tokoro, T., Moriguchi, S., Shioda, N., Fukunaga, K., Ohtsuka, T., Ishii, Y., Sasahara, M., Shimada, Y., Nishijo, H., Li, E. & *Kitajima, I. Reduced expression of the *ATRX* gene, a chromatin-remodeling factor, causes hippocampal dysfunction in mice. *Hippocampus.* **21**, 678-687 (2011).
doi: 10.1002/hipo.20782.
6. Lu, Y.M., Huang, J., Shioda, N., Fukunaga, K., Shirasaki, Y., Li, X.M. & *Han, F. CaMKII δ B mediates aberrant NCX1 expression and the imbalance of NCX1/SERCA in transverse aortic constriction-induced failing heart. *PLoS One.* **6**, e24724 (2011).
doi: 10.1371/journal.pone.0024724.
7. Tagashira, H., Bhuiyan, S., Shioda, N. & *Fukunaga, K. Distinct cardioprotective effects of 17 β -estradiol and dehydroepiandrosterone on pressure overload-induced hypertrophy in ovariectomized female rats. *Menopause.* **18**, 1317-1326 (2011).
doi: 10.1097/gme.0b013e31821f915b.

〔著書・総説〕

1. * Fukunaga, K. & Shioda, N. Novel Dopamine D2 Receptor Signaling through Proteins Interacting with the Third Cytoplasmic Loop. *Mol Neurobiol.* **45**, 144-152 (2012).
doi: 10.1007/s12035-011-8227-8.
2. Shioda, N. & * Fukunaga, K. Abnormal dendritic spine morphology and its signal transduction mechanisms in mental retardation. *Seikagaku.* **83**, 1113-1117 (2011).
3. Shioda, N., Yamamoto, Y., Owada, Y. & * Fukunaga, K. [Dopamine D2 receptor as a novel target molecule for heart-type fatty acid binding protein]. *Nihon Shinkei Seishin Yakurigaku Zasshi.* **31**, 125-130 (2011).
4. Shioda, N., Yamamoto, Y., Han, F., Moriguchi, S & * Fukunaga, K. [Neurochemical mechanisms of a novel Alzheimer's disease therapeutics on improvement of cognition and depressive behavior]. *Yakugaku Zasshi.* **131**, 505-511 (2011).
5. Yamamoto, Y., Shioda, N., Owada, Y. & * Fukunaga, K. [Regulation of dopaminergic neuronal activity by heart-type fatty acid binding protein in the brain]. *Yakugaku Zasshi.* **131**, 497-501 (2011).

〔国際学会〕

1. Shioda, N., Yamamoto, Y. & Fukunaga, K.: Improvement of depressive behavior through enhanced neurogenesis by ST101, a novel Alzheimer's therapeutics. Anxiety and Depression: 21st Neuropharmacology Conference, 2011.11.10-11, Washington, D.C. USA.
2. Shioda, N., Ishikawa, K. & Fukunaga, K.: Identification and characterization of a novel sigma-1 receptor splicing variant in mouse brain. Neuroscience 2011. 2011.11.11-16, Washington, D.C. USA.
3. Fukunaga, K. Moriguchi, S & Shioda, N. : Stimulation of sigma-1 receptor improves cognitive functions through CaMKII activation. Neuroscience 2011. 2011.11.11-16, Washington, D.C. USA.

〔国内学会〕

1. 塩田倫史、澤井優広、福永浩司：ドパミン D2 受容体を介した CaMKII δ 3 核内移行制御機構. 第 86 回日本薬理学会年会 2013.3.21-23、福岡
2. 塩田倫史、福永浩司：神経細胞死における新規シグマ-1 受容体スプライスバリエントの機能的役割. 第 39 回 日本脳科学会 2012.10.6-7、福岡

3. 田頭秀章、Md. Shenuarin Bhuiyan、塩田倫史、福永浩司：Sigma-1 受容体アゴニストであるフルボキサミンの心臓保護作用. 日本薬学会第 131 年会、2011.3.28-31、静岡.
4. 塩田倫史、石川潔、福永浩司：脳内 Sigma-1 受容体の新しいスプライスバリエント Sigma-1 short 受容体の発現とその機能. 第 84 回日本薬理学会年会、2011.3-22-24、横浜.
5. 田頭秀章、Md. Shenuarin Bhuiyan、塩田倫史、福永浩司：心肥大と機能障害に対するフルボキサミンとパロキセチンの異なる薬理作用. 第 84 回日本薬理学会年会、2011.3-22-24、横浜.
6. 生野達也、塩田倫史、福永浩司：ニューロステロイドである DHEA はシグマ 1 受容体を刺激して虚血に伴う神経細胞死を抑制する. 第 84 回日本薬理学会年会、2011.3-22-24、横浜.

〔招待講演・セミナー〕

該当なし

〔その他〕

新聞・マスコミ発表 該当なし 特許出願・取得状況 該当なし