Functional Materials (Applied Functional Molecules)

1. Staffs and Students (April, 2009)

, 2000)	
Akio KISHIDA	
Yoshinori KADOMA	
Ayumi OHSAKI,	Tsuyoshi KIMURA
Kwangwoo NAM	
Naomi HIWATARI	
Seiichi FUNAMOTO,	Masaaki OZAWA,
Yukiko ITO,	Yoshihide HASHIMOTO,
Yusuke AGO,	Rie FUKAYA,
Hokuto KONNO,	Kenji YAMAMOTO,
Jun NEGISHI,	Taiji IZUMI,
Terumi OGAWA,	Asami SANO,
Yuuki SAKAI,	Yukiko SHIMATSU,
Naoko NAKAMURA,	Shinzo NAKAMURA,
Hiroko TADOKORO,	Kaori TANIGUCHI,
Shunsuke KAWAMATA,	Reiko KUROKAWA,
Kosuke KASAHARA,	Marie SHIMADA,
Chie MINATO	
	Akio KISHIDA Yoshinori KADOMA Ayumi OHSAKI, Kwangwoo NAM Naomi HIWATARI Seiichi FUNAMOTO, Yukiko ITO, Yusuke AGO, Hokuto KONNO, Jun NEGISHI, Terumi OGAWA, Yuuki SAKAI, Naoko NAKAMURA, Hiroko TADOKORO, Shunsuke KAWAMATA, Kosuke KASAHARA,

2. Purpose of Education

In order to develop technology which may contribute to the advance in the medical science, lectures on functional molecules from basic to advanced knowledge on molecular design for specific purpose, mainly concentrated on medical application would be executed. Theories on functional molecules and overviews on medical system would be lectured in Graduate School of Medical and Dental Sciences. Students would have chances to learn about Genomics and Bio-intelligent system in Graduate School of Biomedical Science.

3. Research Subjects

1) Decellularization of native tissue for regenerative medicine

In order to obtain a novel scaffold which can be applied for regenerative tissue, ultra-high pressurization method was developed for the complete elimination of the cells and inactivation of the viruses.

2) Inducing molecular aggregation using ultra-high pressurization

The basic and applied science on molecular aggregation triggered by hydrogen bonding at over 6,000 atm is studied. This technique is being applied for hybridization of DNA with polymer for drug delivery system.

3) Bio-interface

To investigate how the materials interact with biological cues such as phospholipids, proteins, or cells, precisely controlled surface via atomic transfer radical polymerization was prepared. The basic research on physical and biological properties of this surface is being investigated.

4) Control of cell functions by physical stimuli.

Using physical stimuli such as nano-vibration or pressure, the technology for the control of cell functions such as the proliferation and differentiation is being developed.

5) Search for novel drugs based on medicinal plants

There are countless natural medicines portions which are not revealed so far. By screening novel drugs originated from Brazil, China, or Japan area for the cancer or dementia treatments the novel bioactive compounds are isolated and being investigated.

6) Development of high functional adhesive

For the development of stable adhesive for precious metal and resin, high functional monomer possessing adhesivity to the precious metal is being developed.

4. Clinical Services

The development of functional molecules can provide novel materials for the clinical application such as blood vessel, cornea, skin, or bone. Unlike the conventional materials which have been used in clinics so far, it would be possible to

Restorative Sciences

promote or suppress specific biological response using functionalized materials. Furthermore, the screening essential drug compound for certain purpose, it would help the patients to be treated with higher efficiency and less pain.

5. Publications

Original Article

- 1. Sasaki S, Funamoto S, Hashimoto Y, Kimura T, Honda T, Hattori S, Kobayashi H, Kishida A, Mochizuki M., In vivo evaluation of a novel scaffold for artificial corneas prepared by using ultrahigh hydrostatic pressure to decellularize porcine corneas., Mol. Vis., 15, 2022-2028, 2009
- Kimura T, Konno H, Fujisato T, Kishida A., Expression behavior of high-pressure-compacted plasmid DNA in mammalian cell., Nucleic Acids Symp Ser., 53, 313-314, 2009
- Nam K, Murakoshi A, Kimura T, Fujisato T, Kitamura S, Kishida A., Study on the physical properties of tissueengineered blood vessels made by chemical cross-linking and polymer-tissue cross-linking., J Artif Organs, 12(1), 47-54, 2009
- 4. Ozawa M, Etoh T, Hayashi M, Komiyama K, Kishida A, Ohsaki A., TRAIL-enhancing activity of Erythrinan alkaloids from Erythrina velutina., Bioorg Med Chem Lett., 19(1), 234-6, 2009.
- 5. Igarashi Y. Mogi T. Yanase S, Miyanaga S, Fujita T, Sakurai H, Saiki I, Ohsaki A. Brartemisin, an inhibitor of tumor cell invasion from the Actinomycete Nonomurae sp. J. Nat. Prod., 72:980-2, 2009.
- 6. Ohsaki A, Nagaoka T, Yoneda K, Kishida A. Secu'amamines E-G, new alkaloids from Securinega suffruticosa var. amamiensis, Tetrahedron Lett., 50:6965-7, 2009.
- Kadoma Y, Ito S, Atsumi T, Fujisawa S. Mechanisms of cytotoxicity of 2- or 2,6-di-tert-butylphenols and 2-methoxyphenols in terms of inhibition rate constant and a theoretical parameter. Chemosphere, 74(5), 626-632, 2009.
- 8. Tamaki Y, Nomura Y, Katsumura S, Okada A, Yamada H, Tsuge S, Kadoma Y, Hanada N. Construction of a dental caries prediction model by data mining. J Oral Sci, 51(1), 61-68, 2009.
- 9. Murakami Y, Ishii H, Hoshina S, Takada N, Ueki A, Tanaka S, Kadoma Y, Ito S, Machino M, Fujisawa S. Antioxidant and cyclooxygenase-2-inhibiting activity of 4,4'-biphenol, 2,2'-biphenol and phenol. Anticancer Res, 29(6), 2403-2410, 2009.
- 10. Kadoma Y, Tamaki Y, Bonding durability against water of a fluorine-containing resin for precious metal alloys. Dent Mater J, 28(5), 642-648, 2009.
- 11. Fujisawa S, Kadoma Y, Prediction of the reduced glutathione (GSH) reactivity of dental methacrylate monomers using NMR spectra Relationship between toxicity and GSH reactivity. Dent Mater J, 28(6), 722-729, 2009.